



**Highline**

**MANUFACTURING LTD.**

## It's all in the spout

The durable spout hydraulically pivots up and down and from left to right that allows you to shoot material consistently up to 100 feet



# TOP GUN

## ODOR CONTROL

Odor control around hog, dairy and municipal lagoons can be a problem.

That's why odor control with straw makes such good sense.

A 10" thick layer of processed straw sprayed on top of the lagoon will control odor for up to three months.

Highline's Top Gun can blow straw onto lagoons for effective environmentally safe odor control. A lagoon 175' by 600' requires 80 to 100 round bales to effectively seal the odor pollution in. With a processing time of five minutes per bale, an entire lagoon can be covered in just one day.

When the straw settles to the bottom of the pit, it decomposes and adds to the richness of the slurry. Tests show that lagoon agitators with straw choppers easily pump out the slurry.

## LAND RECLAMATION

The Top Gun has also become a priceless tool to reclamation and erosion companies. Spread straw for any number of uses. Many road construction crews use it to eliminate hillside erosion.

Aggressive hydraulic driven feed rollers adjust to any bale size

Shredder flails are tempered spring steel, balanced for smooth, long lasting operation

Bale forks easily load round bales into the processor, eliminating the need for a second tractor



# Fast, Efficient, Dependable, Practical

## The Highline Topgun



**Hydraulic self loading bale forks**  
Carry one bale in the tub and one on your forks for efficiency



**Dual feed rollers**  
Two rollers give consistent bedding and they are adjustable



**In cab controls**  
Only two hydraulic outlets needed; one operates the feed rollers and loading forks; the other rotates the spout and the tilting of the spout



**Belt driven blower**  
Allows you to shoot up to 100 feet consistently



**Spiral flail pattern**  
Heat tempered spring steel flails creates less stress on your drum when the flails whip back



**Adjustable aggression setting**  
Set your required length of cut with the lever



**Patented twine cutter!!!**  
Exclusive only to Highline. Remove twine in less than a minute.



**Full front screen**  
Minimizes spillage



# Odor Control



# Land Reclamation



## The Topgun

### ADVANTAGE

The Topgun is a simple, efficient, user friendly machine that provides odor control around hog, dairy, and municipal lagoons. As well as a priceless tool for the use of land reclamation.



[www.highlinemfg.com](http://www.highlinemfg.com)

# Topgun

## FEATURES AND SPECIFICATIONS

Length	192" (488 cm)
Width	115" (292 cm)
Height	112" (284 cm)
Total weight (empty)	6007 lbs (2275 kg)
Drawbar weight (with bale in chamber)	3625 lbs (1644 kg)
Total weight (with bale in chamber)	8500 lbs (3855 kg)

### CAPACITY

Bale dimensions	6 ft x 6 ft (1.8 m x 1.8 m)
Bale weight	2500 lbs (1135 kg)
Number of bales (off hwy)	2

### TRACTOR REQUIREMENTS

Minimum gross weight	6000 lbs (2720 kg)
Minimum PTO horsepower	150 HP (112 kilowatts)
Power takeoff (PTO)	1000 rmp Type II (1-3/8" - 21 spline)
Hydraulic outlets	2
Hydraulic system pressure	2000 - 2900 psi (138 - 200 bar)

### TIRES

Size	11 L - 15 Load Range F
Pressure	90 psi (6.2 bar)
Lug nut torque	85 ft - lb (115 Nm)



Box 307, Hwy 27  
Vonda, SK. S0K 4N0  
800-665-2010  
[www.highlinemfg.com](http://www.highlinemfg.com)